

CZ - MZ IL-BRID standard version

inserts

CD	15 poles + ⊕
CDA	10 poles + ⊕
CSAH	10 poles + ⊕
CDC	10 poles + ⊕
MIXO	1 module

page:

68
98
99
104
264 - 316

bulkhead mounting housings with single lever




surface mounting housings with single lever




description	part No.	part No.	entry Pg	part No.	entry M
with single lever	CZI 15 L				
with single lever and cover	CZI 15 LS				
with single lever		CZP 15 L	16		
with single lever		CZP 15 L2	16 x 2		
with single lever		CZP 15 L21	21	MZP 15 L25	25
with single lever		CZP 15 L221	21 x 2	MZP 15 L225	25 x 2
with single lever and cover		CZP 15 LS	16		
with single lever and cover		CZP 15 LS2	16 x 2		
with single lever and cover		CZP 15 LS21	21	MZP 15 LS25	25
with single lever and cover		CZP 15 LS221	21 x 2	MZP 15 LS225	25 x 2

☑ The enclosures ensure IP66/IP69 degree of protection (or IP65 for hinged cover versions) when mated and locked with the closing levers.


panel cut-out for bulkhead mounting housings




CZI L ▲




CZI LS ●



CZP L and MZP L ▲



CZP LS and MZP LS ●



CAIUS Type 4/4X/12



CZ - MZ IL-BRID lever standard version SIMPLEX self-closing covers

inserts		page:
CD	15 poles + ⊕	68
CDA	10 poles + ⊕	98
CSAH	10 poles + ⊕	99
CDC	10 poles + ⊕	104
MIXO	1 module	264 - 316

bulkhead mounting housings with single lever






surface mounting housings with single lever



description	part No.	part No.	entry Pg	part No.	entry M
with single lever and cover	CZI 15 LSP				
with lever and cover		CZP 15 LSP16	16	MZP 15 LSP20	20
with lever and cover		CZP 15 LSP21	21	MZP 15 LSP25	25

☑ The enclosures ensure IP65 degree of protection when mated and locked with the closing lever, or IP44 protection when not mated and locked with lever, thanks to the SIMPLEX self-closing cover.

panel cut-out for bulkhead mounting housings



CAIUS Type 4/4X/12




CAIUS Type 4/4X/12 pending



CZ - CZA - CZF and MZ - MZA - MZF IL-BRID standard version

inserts		page:
CD	15 poles + ⊕	68
CDA	10 poles + ⊕	98
CSAH	10 poles + ⊕	99
CDC	10 poles + ⊕	104
MIXO	1 module	264 - 316

hoods with 2 pegs




hoods with single lever




description	part No.	entry Pg	part No.	entry M	part No.	entry Pg	part No.	entry M
with pegs, side entry	CZO 15 L	16	MZO 15 L20	20				
with pegs, side entry			MZO 15 L25	25				
with pegs, side entry, high construction	CZAO 15 L16	16	MZAO 15 L20	20				
with pegs, side entry, high construction	CZAO 15 L21	21	MZAO 15 L25	25				
with pegs, top entry	CZV 15 L	13,5	MZV 15 L20	20				
with pegs, top entry, high construction	CZAV 15 L16	16	MZAV 15 L20	20				
with pegs, top entry, high construction	CZAV 15 L21	21	MZAV 15 L25	25				
with pegs, side entry, high construction, without adapter ¹⁾	CZFO 15 L16	16	MZFO 15 L20	20				
with pegs, side entry, high construction, without adapter ¹⁾	CZFO 15 L21	21	MZFO 15 L25	25				
with pegs, top entry, high construction, without adapter ¹⁾	CZFV 15 L16	16	MZFV 15 L20	20				
with pegs, top entry, high construction, without adapter ¹⁾	CZFV 15 L21	21	MZFV 15 L25	25				
with single lever, top entry			CZV 15 LG	13,5			MZV 15 LG20	20

¹⁾ enclosure without adapter, threaded on the body, to be used only with a complete cable gland.


CZO L and MZO L ▲




CZAO L - MZAO L and CZAV L - MZAV L ▲




CZV L and MZV L ▲



CZFO L - MZFO L and CZFV L - MZFV L ●



CZV LG and MZV LG ▲



CAUS® Type 4/4X/12



▲ insulating cable gland or fittings without gasket



▲ cable gland with O-Ring gasket



● cable gland with O-Ring gasket
IP67 if hoods with fused pegs and without adapters, coupled with IP67 housings

CZ IL-BRID standard version


inserts		page:
CD	15 poles + ⊕	68
CDA	10 poles + ⊕	98
CSAH	10 poles + ⊕	99
CDC	10 poles + ⊕	104
MIXO	1 module	264 - 316

covers




description	part No. (with eyelet)	part No. (with loop)
with pegs and gasket (for 1 lever enclosures)	CZC 15 L	CZC 15 SL
with lever (for enclosures with pegs)		CZC 15 LG


CZC L (SL) ●




CZC LG ▲



For fixing on housings



For fixing on hoods



CEC® Type 4/4X/12



● IP67 if coupled with CZ7 - MZ7 housings (see page 384)